

A Smalley Laminar Seal Ring set is a metallic labyrinth seal consisting of multiple rings in a groove. The arrangement and the specific orientation of the rings are dictated by the application and the severity of the environment. There are 16 series of standard imperial and Metric Laminar Seal Ring configurations from which to select. 8 of these series are sets consisting of single-turn rings. The other 8 series are sets consisting of double-turn rings. Within each series are operational ring-set configurations in both imperial and metric sizes. The selection of the appropriate set should be determined by the application. For some applications a complete labyrinth configuration (i.e.; a complete labyrinth configuration is one which has rings staggered within the set) is necessary due to a severe environment where contamination is highly probable. In other applications design engineers can keep the groove dimensions minimal by specifying laminar sets with rings clinging either to the bore or to the shaft.

Laminar Seal Rings Available From Stock

Standard parts from %" to 50" and 15 mm to 1,300 mm. Special seals manufactured with No-Tooling-Charges. Smalley's Laminar Seal Rings are interchangeable with FEY Rings.

SMALLEY	FEY	
QH	AS	
QHK	ASK	FK3
QS	IS	LVO
QSK	ISK	
QHD	ASD	
QHKD	ASKD	FK6
QSD	ISD	LVO
QSKD	ISKD	
QSKD CONSULT SMA	FK5	



Advantages of Laminar Seal Rings

- No friction with other rotating components, ideal for high speed applications.
- Prevent dirt and splash water from contaminating components.
- When used in conjunction with other seals, Laminar Seals provide a primary seal against severe contamination, before the contaminants come in contact with the secondary seal.
- Sets of multiple rings provide an efficient labyrinth seal.
- Rings may be produced from a wide variety of alloys to withstand more severe conditions including higher temperatures and corrosive environments.
- As a metallic mechanical seal they can outperform rubber seals in durability and life expectancy.
- The change from rubber to metal reduces the need for frequent seal replacement.

Selection Guide Standard Laminar Ring Sets Available

Single-Turn Laminar Seal Rings

Used in a variety of applications, this series of Seal Rings should be utilized for light to medium duty applications, dependent on the ring configuration specified. The sets are comprised of single-turn rings in either 3 rings per set or 5 rings per set.

APPLICATIONS: 3 ring sets protect components from low dirt and low splash water contamination. 5 ring sets provide a better labyrinth seal to protect components from medium dirt and medium splash water contamination.



YH Series QH Series

Internal - Light Duty 1 set = 3 individual rings (rings rotate with bore only)



YS Series QS Series

External - Light Duty 1 set = 3 individual rings (rings rotate with shaft only)



YHK Series OHK Series

Internal - Medium Duty 1 set = 5 individual rings (3 rings rotate with bore & 2 rings rotate with shaft)



YSK Series QSK Series

External - Medium Duty 1 set = 5 individual rings (3 rings rotate with shaft & 2 rings rotate with bore)

Double-Turn Laminar Seal Rings

The sets are comprised of double-turn rings in either 2 rings per set or 3 rings per set. The double-turn rings fit tighter in the bore or on the shaft, provide complete 360° surface contact and resist higher axial/radial forces than single-turn ring sets, for medium to heavy duty applications.

APPLICATIONS: 2 ring sets protect components from medium dirt and medium splash water contamination. 3 ring sets provide a better labyrinth seal to protect components from heavy dirt and heavy splash water contamination.



YHD Series OHD Series

Internal - Medium/Heavy Duty 1 set = 2 individual rings (rings rotate with bore only)



YSD Series QSD Series

External - Medium/Heavy Duty 1 set = 2 individual rings (rings rotate with shaft only)



YHKD Series QHKD Series

Internal - Heavy Duty 1 set = 3 individual rings (2 rings rotate with bore & 1 ring rotates with shaft)





YSKD Series QSKD Series

External - Heavy Duty 1 set = 3 individual rings (2 rings rotate with shaft & 1 ring rotates with bore)



Laminar Seal Ring Applications









A. Coupling

The seal arrangement in this assembly has been custom designed for optimum protection against contamination.

Gases build up pressure in a center cavity, protected on both ends from contaminants entering.

B. Bearing Protection

The 3 ring set protects the ball bearing from contaminants like dirt and water. The seal retains grease/lubricant and prevents contaminates from penetrating into the critical components of the assembly.

C. Pulley Idler


The ring set designed in this application extends the life of the ball bearing by keeping contaminants from penetrating the precision bearing surfaces even though the bearing itself is sealed. When the shaft rotates only the groove ring rotates while the housing rings remain stationary.


D. High Speed Spindle

The QS series has been designed into the spindle assembly to protect the tandem bearings against corrosive elements.

Though it is not the primary seal in the assembly, it is designed as the final seal protecting the bearings. All rings in the set will cling to the shaft due to the high rotational speed of the main spindle

Single-Turn Rings





	Tolerances (in)								
D	0.625 - 4.499	4.500 - 9.999	10.000 - 14.999	15.000 - 50.000					
A-B	+0.004	+0.008	+0.010	+0.010					
Αυ	-0.000	-0.000	-0.000	-0.000					
RW	+0.004	+0.006	+0.007	+0.015					
ΝVV	-0.004	-0.006	-0.007	-0.010					
Т	+0.002	+0.003	+0.004	+0.005					
- 1	-0.002	-0.003	-0.004	-0.005					
Da	+0.008	+0.012	+0.012	+0.016					
D2	-0.000	-0.000	-0.000	-0.000					
D1	+0.000	+0.000	+0.000	+0.000					
D1	-0.008	-0.012	-0.012	-0.016					

Single-Turn Laminar Sealing Rings YH or YS are used for a wide variety of applications. They are commonly used to protect bearing systems by retaining grease/lubricant and preventing water or other contaminating liquids from penetrating into the critical areas of an assembly. The alternating (staggered) series YHK and YSK offer (due to an increased labyrinth seal) further improved sealing efficiency. They are often specified where the lubricating grease may liquefy due to higher operating temperatures or where protection against larger amounts of contaminating liquids (such as cooling water) is required.

The standard Single-Turn Laminar Rings listed in the table below are readily available (from stock). Specials can be manufactured with No-Tooling-Charges $^{\text{TM}}$.

Product Dimensions All dimensions in inches unless otherwise specified.

Bore Shaft¹ D		ove² dth B		Ring ensions T	Groove Diameter D2	Groove Diameter D1
0.625 - 1.249	0.072	0.119	0.055	0.021	(D) +0.134	(D) -0.134
1.250 - 1.499	0.072	0.119	0.065	0.021	+0.154	-0.154
1.500 - 1.749	0.072	0.119	0.003	0.021	+0.180	-0.180
1.750 - 2.249	0.102	0.170	0.095	0.023	+0.214	-0.214
2.250 - 2.749	0.102	0.170	0.113	0.031	+0.250	-0.250
2.750 - 2.999	0.102	0.170	0.123	0.031	+0.270	-0.270
3.000 - 3.249	0.102	0.170	0.128	0.031	+0.280	-0.280
3.250 - 3.499	0.102	0.170	0.138	0.031	+0.300	-0.300
3.500 - 3.999	0.102	0.170	0.158	0.031	+0.340	-0.340
4.000 - 4.499	0.102	0.170	0.168	0.031	+0.360	-0.360
4.500 - 4.999	0.131	0.215	0.188	0.039	+0.408	-0.408
5.000 - 5.499	0.131	0.215	0.200	0.039	+0.432	-0.432
5.500 - 6.249	0.158	0.254	0.225	0.046	+0.490	-0.490
6.250 - 7.749	0.187	0.301	0.250	0.055	+0.540	-0.540
7.750 - 9.999	0.187	0.301	0.312	0.055	+0.702	-0.702
10.000 - 12.499	0.217	0.346	0.350	0.063	+0.778	-0.778
12.500 - 14.999	0.217	0.346	0.375	0.063	+0.828	-0.828
15.000 - 19.999	0.307	0.496	0.437	0.093	+0.952	-0.952
20.000 - 24.999	0.310	0.504	0.500	0.093	+1.158	-1.158
25.000 - 29.999	0.310	0.504	0.567	0.093	+1.292	-1.292
30.000 - 50.000	0.310	0.504	0.750	0.093	+1.658	-1.658

¹ Standard raw materials are carbon steel and 302 stainless steel.

² If axial movement occurs during operation, an increase to Groove Width may be necessary to avoid friction between Rings and Groove.






Double-Turn Laminar Sealing Rings offer a higher clamping force when installed in the bore or on the shaft. They are suited for higher operating speeds, have 360° contact (no axial gap) and should be used where application conditions are more severe. One typical application is where high amounts of dirt and dust are present and the ring sets provide the necessary seal against contamination from outside elements.


Double-Turn Laminar Ring Sets are also used to protect contacting radial seals, rubber seals, O-rings and other oil seals. For protection in the most severe environment the alternating (staggered) sets YHKD and YSKD are the preferred choice by engineers. They provide sealing with 360° contact in both the bore and on the shaft.


The standard Double-Turn Laminar Rings listed in the table below are readily available (from stock). Specials can be manufactured with No-Tooling-Charges $^{\text{TM}}$.



Bore Shaft¹ D	w	oove² idth B		ling Insions	Groove Diameter D2	Groove Diameter D1
D D	A	ь	IT. VV		D2	
0.625 - 1.249	0.098	0.145	0.055	0.043	(D) +0.134	(D) -0.134
1.250 - 1.499	0.098	0.145	0.065	0.043	+0.154	-0.154
1.500 - 1.749	0.112	0.166	0.078	0.050	+0.180	-0.180
1.750 - 2.249	0.136	0.204	0.095	0.062	+0.214	-0.214
2.250 - 2.749	0.136	0.204	0.113	0.062	+0.250	-0.250
2.750 - 2.999	0.136	0.204	0.123	0.062	+0.270	-0.270
3.000 - 3.249	0.136	0.204	0.128	0.062	+0.280	-0.280
3.250 - 3.499	0.136	0.204	0.138	0.062	+0.300	-0.300
3.500 - 3.999	0.136	0.204	0.158	0.062	+0.340	-0.340
4.000 - 4.499	0.136	0.206	0.168	0.062	+0.360	-0.360
4.500 - 4.999	0.172	0.254	0.188	0.078	+0.408	-0.408
5.000 - 5.499	0.172	0.254	0.200	0.078	+0.432	-0.432
5.500 - 6.249	0.202	0.299	0.225	0.093	+0.490	-0.490
6.250 - 7.749	0.238	0.353	0.250	0.111	+0.540	-0.540
7.750 - 9.999	0.242	0.357	0.312	0.111	+0.702	-0.702
10.000 - 12.499	0.274	0.405	0.350	0.127	+0.778	-0.778
12.500 - 14.999	0.278	0.412	0.375	0.127	+0.828	-0.828
15.000 - 19.999	0.398	0.592	0.437	0.187	+0.952	-0.952
20.000 - 24.999	0.398	0.596	0.500	0.187	+1.158	-1.158
25.000 - 29.999	0.405	0.608	0.567	0.187	+1.292	-1.292
30.000 - 50.000	0.413	0.620	0.750	0.187	+1.658	-1.658

¹ Standard raw materials are carbon steel and 302 stainless steel.






Tolerances (in)								
D	0.625 -	4.500 -	10.000 -	15.000 -				
	4.499	9.999	14.999	50.000				
A-B	+0.004	+0.008	+0.010	+0.010				
	-0.000	-0.000	-0.000	-0.000				
RW	+0.004	+0.006	+0.007	+0.015				
	-0.004	-0.006	-0.007	-0.010				
Т	+0.002	+0.003	+0.004	+0.005				
	-0.002	-0.003	-0.004	-0.005				
D2	+0.008	+0.012	+0.012	+0.016				
	-0.000	-0.000	-0.000	-0.000				
D1	+0.000	+0.000	+0.000	+0.000				
	-0.008	-0.012	-0.012	-0.016				


² If axial movement occurs during operation, an increase to Groove Width may be necessary to avoid friction between Rings and Groove.

Metric Single-Turn Rings



Single-Turn Laminar Sealing Rings QH or QS are used for a wide variety of applications. They are commonly used to protect bearing systems by retaining grease/lubricant and preventing water or other contaminating liquids from penetrating into the critical areas of an assembly. The alternating (staggered) series QHK and QSK offer (due to an increased labyrinth seal) further improved sealing efficiency. They are often specified where the lubricating grease may liquefy due to higher operating temperatures or where protection against larger amounts of contaminating liquids (such as cooling water) is required.

The Metric Single-Turn Laminar Rings listed in the table below are readily available (from stock). Specials can be manufactured with No-Tooling-Charges™.



Product Dimensions All dimensions in millimeters unless otherwise specified.

	Sh	ore aft O	Groe Wie A			Ring ensions T	Groove Diameter D2	Groove Diameter D1
15	-	24.9	2.2	3.6	1.0	0.65	(D) + 2.6	(D) - 2.6
25	-	29.9	2.2	3.6	1.2	0.65	+ 3.0	- 3.0
30	-	35.9	2.2	3.6	1.5	0.65	+ 3.6	- 3.6
36	-	42.9	2.2	3.6	1.8	0.65	+ 4.2	- 4.2
43	-	48.9	2.4	4.0	2.2	0.72	+ 5.0	- 5.0
49	-	51.9	2.4	4.0	2.4	0.72	+ 5.4	- 5.4
52	-	59.9	2.4	4.0	2.6	0.72	+ 5.8	- 5.8
60	-	69.9	2.7	4.5	2.8	0.82	+ 6.2	- 6.2
70	-	74.9	2.7	4.5	3.1	0.82	+ 6.8	- 6.8
75	-	79.9	2.7	4.5	3.3	0.82	+ 7.2	- 7.2
80	-	89.9	2.7	4.5	3.5	0.82	+ 7.6	- 7.6
90	-	99.9	2.7	4.5	3.8	0.82	+ 8.2	- 8.2
100	-	104.9	2.7	4.5	4.1	0.82	+ 8.8	- 8.8
105	-	109.9	3.3	5.5	4.3	0.98	+ 9.2	- 9.2
110	-	119.9	3.3	5.5	4.6	0.98	+ 9.8	- 9.8
120	-	129.9	3.3	5.5	5.0	0.98	+10.8	-10.8
130	-	149.9	3.3	5.5	5.5	0.98	+11.8	-11.8
150	-	170.9	3.4	5.6	6.0	1.00	+13.0	-13.0
150 ¹	-	170.9	5.1	8.2	6.0	1.50	+13.0	-13.0
171	-	199.9	3.4	5.6	7.0	1.00	+15.0	-15.0
171 ¹	-	199.9	5.1	8.2	7.0	1.50	+15.0	-15.0
200	-	259.9	4.1	6.6	8.0	1.20	+18.0	-18.0
200 ¹	-	259.9	5.1	8.2	8.0	1.50	+18.0	-18.0
260	-	319.9	5.1	8.2	9.0	1.50	+20.0	-20.0
320	-	399.9	5.2	8.3	10.0	1.50	+22.0	-22.0
400	-	439.9	5.2	8.3	11.0	1.50	+24.0	-24.0
440	-	600.9	5.2	8.3	12.0	1.50	+26.0	-26.0
440 ¹	-	600.0	8.3	13.5	12.0	2.50	+26.0	-26.0
601	-	699.9	8.3	13.5	14.0	2.50	+32.0	-32.0
700	-	799.9	8.3	13.5	16.0	2.50	+36.0	-36.0
800	-	899.9	8.3	13.5	18.0	2.50	+40.0	-40.0
900	-	999.9	8.3	13.5	20.0	2.50	+44.0	-44.0
1000	-	1300.0	8.4	13.6	22.0	2.50	+48.0	-48.0

lolerances (mm)							
D	15 -	105 -	150 -	440 -			
	104.9	149.9	439.9	1300			
A-B	+0.10	+0.15	+0.20	+0.25			
7, 5	-0.00	-0.00	-0.00	-0.00			
RW	+0.10	+0.10	+0.15	+0.20			
11.00	-0.10	-0.20	-0.30	-0.40			
Т	+0.04	+0.05	+0.06	+0.07			
	-0.02	-0.03	-0.04	-0.05			
D2	+0.20	+0.25	+0.30	+0.40			
DZ	-0.00	-0.00	-0.00	-0.00			
D1	+0.00	+0.00	+0.00	+0.00			
וט	-0.20	-0.25	-0.30	-0.40			

¹ Increased cross-section.

² If axial movement occurs during operation, an increase to Groove Width may be necessary to avoid friction between Rings and Groove.



Metric Double-Turn Rings


Double-Turn Laminar Sealing Rings offer a higher clamping force when installed in the bore or on the shaft. They are suited for higher operating speeds, have 360° contact (no axial gap) and should be used where application conditions are more severe. One typical application is where high amounts of dirt and dust are present and the ring sets provide the necessary seal against contamination from outside elements.


Double-Turn Laminar Ring Sets are also used to protect contacting radial seals, rubber seals, O-rings and other oil seals. For protection in the most severe environment the alternating (staggered) sets QHKD and QSKD are the preferred choice by engineers. They provide sealing with 360° contact in both the bore and on the shaft.

The Metric Double-Turn Laminar Rings listed in the table below are readily available (from stock). Specials can be manufactured with No-Tooling-Charges™.

Product Dimensions All dimensions in millimeters unless otherwise specified.

	Bo Sha D	aft		ove² dth B		ing nsions T	Groove Diameter D2	Groove Diameter D1
15	-	24.9	2.9	4.3	1.0	1.30	(D) + 2.6	(D) - 2.6
25	-	29.9	2.9	4.3	1.2	1.30	+3.0	-3.0
30	-	35.9	2.9	4.3	1.5	1.30	+3.6	-3.6
36	-	42.9	2.9	4.3	1.8	1.30	+4.2	-4.2
43	-	48.9	3.2	4.8	2.2	1.45	+5.0	-5.0
49	-	51.9	3.2	4.8	2.4	1.45	+5.4	-5.4
52	-	59.9	3.2	4.8	2.6	1.45	+5.8	-5.8
60	-	69.9	3.6	5.4	2.8	1.65	+6.2	-6.2
70	-	74.9	3.6	5.4	3.1	1.65	+6.8	-6.8
75	-	79.9	3.6	5.4	3.3	1.65	+7.2	-7.2
80	-	89.9	3.6	5.4	3.5	1.65	+7.6	-7.6
90	-	99.9	3.6	5.4	3.8	1.65	+8.2	-8.2
100	-	104.9	3.6	5.4	4.1	1.65	+8.8	-8.8
105	-	109.9	4.3	6.4	4.3	1.96	+9.2	-9.2
110	-	119.9	4.3	6.4	4.6	1.96	+9.8	-9.8
120	-	129.9	4.3	6.4	5.0	1.96	+10.8	-10.8
130	-	149.9	4.3	6.4	5.5	1.96	+11.8	-11.8
150	-	170.9	4.4	6.5	6.0	2.00	+13.0	-13.0
150 ¹	-	170.9	6.5	9.6	6.0	3.00	+13.0	-13.0
171	-	199.9	4.4	6.5	7.0	2.00	+15.0	-15.0
171 ¹	-	199.9	6.5	9.6	7.0	3.00	+15.0	-15.0
200	-	259.9	5.3	7.8	8.0	2.40	+18.0	-18.0
200 ¹	-	259.9	6.5	9.6	8.0	3.00	+18.0	-18.0
260	-	319.9	6.5	9.6	9.0	3.00	+20.0	-20.0
320	-	399.9	6.6	9.8	10.0	3.00	+22.0	-22.0
400	-	439.9	6.6	9.8	11.0	3.00	+24.0	-24.0
440	-	600.9	6.6	9.8	12.0	3.00	+26.0	-26.0
440 ¹	-	600.9	10.6	15.9	12.0	5.00	+26.0	-26.0
601	-	699.9	10.8	16.2	14.0	5.00	+32.0	-32.0
700	-	799.9	10.8	16.2	16.0	5.00	+36.0	-36.0
800	-	899.9	11.0	16.5	18.0	5.00	+40.0	-40.0
900	-	999.9	11.0	16.5	20.0	5.00	+44.0	-44.0
1000	-	1300.0	11.0	16.5	22.0	5.00	+48.0	-48.0





Tolerances (mm)								
D	15 - 104.9	105 - 149.9	150 - 439.9	440 - 1300				
A-B	+0.10	+0.15	+0.20	+0.25				
RW	+0.10	+0.10 -0.20	+0.15	+0.20				
Т	+0.08 -0.04	+0.10 -0.06	+0.12 -0.08	+0.14				
D2	+0.20 -0.00	+0.25 -0.00	+0.30 -0.00	+0.40 -0.00				
D1	+0.00 -0.20	+0.00 -0.25	+0.00 -0.30	+0.00 -0.40				

¹ Increased cross-section.

² If axial movement occurs during operation, an increase to Groove Width may be necessary to avoid friction between Rings and Groove.